

« - »

2.844.007

1.

« - » ( ) , , -  
, , . , -  
, . , -  
( ) . -

2.

, %

-  
-  
-  
-

7,0 30,0;  
4,0 28,0;  
7,0 16,0;  
6,0 18,0.

( . ) .

, %

4 17 %  
17 30 %

, %

± 1,0;  
± 1,5.  
± 4,0.  
12.

, ,

,<sup>0</sup>

5 40.  
2 5.  
5 40.  
7 .

( )

,<sup>0</sup>

140.

9 .

(7,0 ± 0,2).

160 95 45  
500

3.

« - »

1 .  
1 .  
1 .  
1 .

4.

( .1)

1,

2.

3.

4

5.







5° 45° , " "

7.

50.2.042-2004 «

	( , )	

50.2.042-2004.

8.

5° 45° 80 %.

9.

18

10.

11.  
11.1.

12.

« - » .

---

,

)

( )

( -  
-  
- )

	, %	
-	5,0	36,0
-	5,0	31,5
	5,0	37,0
	5,0	31,0
	6,0	34,0
	5,5	31,0
	5,0	36,0
	5,0	40,0
	5,5	37,0
	5,0	32,0
	4,0	35,0
	4,0	27,0
	9,0	32,0
	8,5	32,0
	4,0	22,0
	5,0	28,0
	8,0	30,0
	5,0	16,0
	5,0	20,5
	0,1	20,0 ( )